

0



Week commencing: 24th May 2021

Team Shift Activity: number of shifts: 0

number of taskings: 0

number of patient involvements: 0

number of governance procedures:

active responders: CB 664, SB 5857, SB 5854 Solo Activity: number of taskings: 14 number of patient involvements: 9 number of governance procedures: 3 x 1 by EMRTS Tasking Types: trauma 11 adult 14 medical 1 paediatric 0 cardiac arrest 2 other 0

Case	Res	Date	Age	gender	type	Job description	S/D	Scene time	Total time	General	Governance	Adverse events		
										interventions	interventions			
1	CB664	24/05	19	male	trauma	Fall from fence	no	-	-	yes	no	nil		
				Additional	comments:	The casualty had climbed over a 3m high	h fence a	nd had injured	his ankle after	dropping to the ground.		•		
						Incident upgraded to AMBER1 because	he had a	n obvious open	fracture of L a	nkle and was stuck on the	ground in the open.			
						["IV access"] ["Limb splinting"]								
						Examination and observations.								
						Analgesia.								
						Dressing to wound.								
						Handover to crew for transfer to Morris	ton.							
						Noted that WAST paramedics now carrying and able to give co-amoxiclav.								
2	CB664	25/05	62	male	med/tra	RTC	no	-	-	no	no	nil		
		ı		Additional	comments:	RTC - the casualty was the driver of a vehicle which had left the carriageway onto soft verge/shallow ditch.								
						Minor injury to scalp and R elbow.								
						Main concern was his symptoms of heart failure and COPD - very wheezy and SpO2 87% at best.								
						He declined transfer to hospital for review.								
						Discharged into care of Police after roadside breath test.								
						The casualty and his partner both given	advice th	nat he should se	eek medical he	lp if worsening breathless	ness later or any other symp	toms of concern.		

						Letter done to GP.								
3	multiple	26/05		female	medical	Seizure	yes	-	-	no	no	nil		
				Additional	comments:	multiple responders: SB 5857, SB5854		•				•		
						Seizure in known epileptic. Banged hea	d, now re	ecurrent seizure	es with no impr	ovement in GCS post seiz	ure ? traumatic ? status.			
						Request for BASICS assistance as EMRT.	S commit	ted in Swansea						
						Discussed with Steff on ASD/Trauma de	sk updat	e from crew in	scene - unresp	onsive >30 minutes post s	seizure, concern re head inju	ry, ?PHEA		
						-> joint response SB5857 AND SB5854								
						Stood down on route - second crew on	scene an	d have success	fully extricated	patient to EA who has red	covered slightly in GCS (3>5	5>6), going to		
						transfer directly to UHW								
						Allocated 0051, mobile 0052, Stood do	wn appro	x 0104						
						Manual text not received by BB (seen o	n Whats	App only)						
4	CB664	26/05	26	male	trauma	Fall from mountain bike	no	?	03:14	yes	yes	nil		
				Additional	comments:	Fall from mountain bike on unofficial di	rt track.							
						Found by friends on ground in pain and unable to move legs.								
						["IV access"]								
						["Immobilisation", "Assisted Transfer"]								
						Examination and observations.								
						Sedation to allow packaging and transfe	er via Coa	stguard helicop	oter to UHW.					
						["Pre-hospital Sedation"]								
						Presumed weight = 80Kg								
						decision: 17:30, start: 17:43, complete:	18:20							
						indication: extrication								
						location: on ground at scene								
						oxygen, CO2 monitoring								
						Ketamine: 40mg initial dose, 100mg tot	al dose							
						midazolam: 1 mg								
						stable observations								
						no complications								

5	SB5854	26/05			trauma	RTC	yes	-	-	no	no	nil		
				Additional	comments:	Car had driven into the back of a Highways Agency lorry that had been laying out cones in lane 3 of M4.								
						High speed collision, all unknown								
						Stood down en route, minor injuries								
6	SB5854	26/05			trauma	Stabbing	yes	-	-	no	no	nil		
		•	•	Additional	comments:	Report of stabbing, stood down as mind	or injury	•						
7	SB5854	27/05			trauma	Stabbing	yes	-	-	no	no	nil		
				Additional	comments:	initial report was "stabbing in chest, gas	ping for	air", updated to	"Hit in chest	by a ball, has stabbing pair	ns and is gasping for air"			
						stood down as not required								
8	CB664	28/05	50	male	trauma	29D03 - RTC	no	-	-	no	no	nil		
				Additional	comments:	vehicle vs low front wall of property at side of residential street.								
						The driver was the sole occupant, had self-extricated and been able to mobilise first to Police vehicle and then to EA								
						Examination and observations.								
						No significant injuries found but noted history of cerebral aneurysm.								
						Conveyed to Morriston as precaution								
9	SB5857	29/05			trauma	RTC - Rollover	no	-	-	yes	no	nil		
				Additional	comments:	Dacia Duster - 3 occupants. Flipped & e	nded aga	inst crash barri	er in central re	servation.				
						Airbags not deployed, passenger compa	artment a	ppears intact.						
						Arrived on scene simultaneously with first FRS vehicle. 1xEA & police on scene.								
						Patients all out of vehicle - self extrication with bystander assistance, all full recollection of events, no reported LoC.								
						Patient 1 - 36F - Driver (restrained)								
						No injuries reported. C-spine cleared (N		ormal observat	ions. Discharg	ed with SOS advice				
						Patient 2 - 38M - Front passenger (restr	•							
						Recovering from previous accident with		_			ble back injury.			
						Self extricated and mobilising around so		•		<i>.</i>				
						C/O pain to L arm - tender over mid humerus and distal radius with reduced movement. Sensation / circulation intact. Abrasion to elbow.								
						Discharged to EA crew for observations and transfer to Morriston for assessment.								

						Patient 3 - 10F - Rear passenger (passer	ger side)	(restrained - s	tandard helt or	alv) No injuries reported (small superficial laceration <	0.5cm to left foot)		
						Patient 3 - 10F - Rear passenger (passenger side) (restrained - standard belt only). No injuries reported (small superficial laceration <0.5cm to left foot). C-spine cleared (NEXUS). Normal observations. Discharged to care of mum with SOS advice.								
						2x discharged. 1x recommend to Morriston for assessment/ x-ray.								
					•	Main intervention standing down EMRTS, HART, 2 additional DCA and preventing all 3 patients being boarded by FRS and WAST.								
10	SB5854	29/05	53	male	arrest	cardiac arrest	no	-	-	yes	no	nil		
				Additional	comments:	witnessed cardiac arrest with immediat	e bystan	der CPR.						
						Initial rhythm = VF, shock x 1, converted	l to brady	/cardia broad c	complex ? Idiov	entricular rhythm.				
						No palpable pulse, but good ETC02 with	Lucas							
						Full ALS. in view of young age, no antec	edent his	tory and proxir	mity to UHW (4	1.7 miles) decision to trans	fer to ED with ongoing comp	oressions.		
						Good ETC02 throughout suggested som	e cardiac	activity but no	palpable pulse	e = Low output state (coul	d also have been good place	ment of Lucas)		
						In ED, Echo showed cardiac standstill after a few flickers of Ventricular activity.								
						["IO access","Advanced life support","LUCAS"]								
						["Assisted Transfer"]								
11	SB5854	29/05	86	male	trauma	Fall – leg injury	no	?	02:47	yes	yes	nil		
			,	Additional	comments:	crew request for additional sedation.			•			•		
						Patient had fallen and sustained a compound fracture of the mid shaft of RIGHT femur								
						["IV access"]								
						["Limb splinting","Immobilisation","Assisted Transfer"]								
						Analgesia prior to arrival = IV Paracetamol 1000mg, IV Morphine 10 mg, Entonox,								
						O/E mid shaft Femoral fracture, Skin broken lower down anteriorly ? comminuted compound fracture.								
						Analgaesia/Sedation = Ketamine IV , titrated to response(Sedation = Nystagmus) Full monitoring including ETC02.								
						Kendrick Splint applied, but despite significant effort, I was unable to fully reduce the mid shaft fracture.								
						Distal pulses palpable before and after procedure.								
						Monitored in full during Transfer								
						["Pre-hospital Sedation"]								
						no timings given								
						indication: facilitate procedure								
						location: Home Address								

1						oxygen, CO2 monitoring									
						Ketamine: 20mg initial dose, 40mg total dose									
						stable observations									
						no complications									
						Clinically stable throughout. I did not ob	tain a co	py of the pre a	nd post proced	lure blood pressure readin	gs, all were however accepta	able. (150/90			
						throughout)									
						Excellent level of sedation that allowed	manipula	ation of fractur	e with significa	nt force. No complaints fr	om patient				
12	SB5854 30/05 male trauma					Ejection from Quad bike	no	-	-	yes	yes - EMRTS	nil			
				Additional	comments:	Male ejected from quad bike, head inju	ry								
						I arrived at the same times EMRTS.	I arrived at the same times EMRTS.								
						GCS = E1V2M4 = 7									
						PHEA.									
						I assisted with Pelvic Binder and Immobilisation, packaging									
						Good team effort, Good CRM									
						["Immobilisation"]									
13	SB5854	30/05		male	trauma	Motorcyclist v Car	yes	-	-	no	no	nil			
13	SB5854	30/05		male Additional		Motorcyclist v Car Head injury. I mobilised from previous jo		- vas stood dowr	- n when at J 35=			nil			
13	SB5854 CB664	30/05	74					- vas stood dowr -	- n when at J 35= -			nil			
			74	Additional	comments:	Head injury. I mobilised from previous j	ob, but w	-	-	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous jo Cardiac Arrest	no no lils) and h	- nad last been s	- een alive at 161	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta	no ills) and h	- nad last been s	- een alive at 161	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of	no ills) and h	- nad last been s	- een alive at 161	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU	no ills) and h	- nad last been s	- een alive at 161	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU ["Assisted Transfer"]	no iils) and h	- nad last been s tigued by the t	- een alive at 161 ime I arrived.	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU ["Assisted Transfer"] Pads applied - asystole.	no iils) and h	- nad last been s tigued by the t	- een alive at 161 ime I arrived.	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU ["Assisted Transfer"] Pads applied - asystole. iGel size 4; O2 15I/min via BVM and too	no lils) and h clearly fat JCAS"]	- nad last been si tigued by the t	- een alive at 161 ime I arrived.	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no detalerable) from previous ju Family commenced CPR but they were of ["IV access","Advanced life support","LU ["Assisted Transfer"] Pads applied - asystole. iGel size 4; O2 15I/min via BVM and too ALS once RRV and then EA arrived.	no lils) and h clearly fat JCAS"]	- nad last been si tigued by the t	- een alive at 161 ime I arrived.	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU ["Assisted Transfer"] Pads applied - asystole. iGel size 4; O2 15I/min via BVM and too ALS once RRV and then EA arrived. ROSC after 4mg adrenaline and ~30 min	no no lils) and h clearly fat JCAS"] k over ch	- nad last been s tigued by the t est compression ead - RBBB.	een alive at 161 ime I arrived. ons.	crew running from scene	to UHW				
			74	Additional female	comments:	Head injury. I mobilised from previous ju Cardiac Arrest The patient had cardiac history (no deta Family commenced CPR but they were of ["IV access","Advanced life support","LU	no ills) and h	- nad last been s	- een alive at 161	crew running from scene	to UHW				

	iView V/L not helpful in bright sunlight.
	Further attempts at resuscitation terminated in Resus.

key – Res = responder, S/D = stood down?, time = hour:mins

Governance

Solo case 4

Solo case 11

Solo case 12 - EMRTS